



A blue and black Yodobak submersible pump. It features a blue top section with a black handle and a black lower section. A black power cord is attached to the top, and a blue and black circular float switch is connected to the side. A black discharge pipe with a threaded fitting is attached to the bottom right. The Yodobak logo is visible on the blue top section.

[illegible]

10. f j t e ^r t f t e j h t s f j l s t s t e t s x d z t s f j l s q .	u l s t 0-11
1 1 . y q f j l s f o q l z t s h .	u l s t 2.
1 2 . m t e o d z j d z q j .	u l s t 2.
1 3 . l t s l d z t s x d z ^r j d z j q f j t f t e o e d z t s f j l s q	u l s t 2-13
1 4 . l o t e o d z l s q ? d z ^r j t s b ^w l o l s j d z ¹ f j l s e o .	u l s t 3-14
1 5 . t j f d z o d z d z ^r ? t f t e t s f j t f j f l s .	u l s t 5.

1 . l e j h j d z q j .

v e o x o j d z^r ? t f t s f l z t f o l s j d z¹

VODOTOK i l s t s d z t s e j ? h q j t e o l t e o b t s l s f q , e^r f j
e d z q d z o l s j d z¹ d z t s j t s l s d z t s h j f d z q j l z t f o l s j d z o d z q l o h
t f t s d z t e o e q l s f j^w d z o h o l s j z d z q f o , q e h o d z¹ d z
d z o h j ? f t s f j t f o d z q f l z^w j d z t s f j t s b t s j e d z q d z o d z q j
t f t e t s h l z f y q q . l o b t s l s^w f j¹ t s t f t s f l z t f o l s j d z^w z , o
q o b f j t s d z¹ l s d z l f o f j d z t s f j l s¹ q f j t f t s d z¹ l l z j d z^r z t f t e o
l t s x o d z l z ? f j l s o , t s b t e o l s q l s j l o h j e d z q d z o d z q j
t e o b t s l s o , o l s o f x j d z o h d z j x o h j j l s j z d z q y j f
l s t s d z¹ f t s t f t s f j d z j e d z q d z o l s j d z¹ d z t s g t s q l l z y f d z q
¹ f f j t f d z l o l s o y q q e . l t e q t f t s f l z t f f j q l h j d z q
f t s d z t f d z j f l s d z t s f j l s¹ t f t s f j l s o e f q q t s l s f j l z l s f j l s e q j
t f t e q l s t e o d z f j t s t e l s q t e t s e f j q d z q z t e o d z j d z q q d z o
t e l z f t s e t s h f j l s e j t f t e q d z o h d z j x d z t s f j l s f j d z t s g d z l s t s h^w
f t s d z t f d z j f l s t f t s f j l s o e f q . l t e t s e j t e¹ l s j l s o f x j
l s o d z t s d z o , h o b^h j g t s t f t e o e t s d z o b j f j t f d z o l s d z t s
g o t e o d z l s q ? d z^r ? l o t f j d z o t s o d z l s q ? d z t s d z^w l s o d z t s d z j d z t s
t f t e q f j l z l s f j l s e t s e o l s¹ : h o l s o l z¹ t f t e l s h o l z t s d z j t e q d z h l f j e j q
d z o d z q y q q) , t f j y o l s¹ (t f t e q j^y d z o d z q y q q) q t e

2 . l t e j h d z o l d z o y j d z q j .

l o d z d z^r j d z o f j t s f j^r t f t e j h d z o l d z o y j d z^r h d z^w t f j t
l o g t e^w l d z j d z d z t s ? , h t e j d z o x d z t s ? q h t s x h j e t s ?
o d z o d z d z^r g d z q^w q l q y j f j f q d z q q z q d z q y j f j f q d z q
e t s d z t s f d z q f j l s^r z e f d z^b y j d z q ? . l d z q q f j t f t s d z¹ l
f t s d z t s h y j e , t e j f , t f t e l z h t s e , t e j l j t e e l o t e t s e
f o d z o e , q t e t e q g o y q q , t t e t s^h j d z q^w q l s . h .
l f j d z t s e d z^r j t f t e j q d z l o f j f j f j t s o : h o d z d z^r z d z
1. l f j y o l f j l s q , f t s d z l s o f l s q t e l z^b h q j f j e t s h t s ? ,
q l g t s l s t s e d z j d z^r q l d z j t f t s h h o b^h q z f j^w f t s t e t e t s l q
2. l o d z l g t s l s t s e d z j f j l s f q f l s o y j d z j l s e j o d z d z t s ? j d z o t e h l f j e j q
l s j t e d z q y j f j f q t s b t e o b t s l s o d z , y l s t s h h s j d z o j e l y d z
l f j l s t s ? y q q e^r d z f l d z t s f j l z

- 3.
- 4.

1

1 .

	

НПД-65л/мин-4м-400Вт

Потребляемая мощность

Номин. высота подъема

Номин. производительность

Насос погружной дренажный

